

ROBERTS PLYWOOD COMPANY

The source for fine architectural plywood, marine plywood, curved plywood, lumber and veneer.

.....

1 STOCK LIST

p. 2-5 PLYWOOD

p. 6-8 VENEER

p. 9 LUMBER

p.10 MARINE PLYWOOD, MELAMINE & SUBSTRATES

p.11 SUBSTRATES & ADDITIONAL ITEMS

2 THE MANUFACTURING PROCESS

p. 12 - 13 TYPES OF CUTTING VENEER

3 GLOSSARY

p. 14 - 16

PLYWOOD

AFROMOSIA

Quartered

Thickness	Size	Type/Core	Grade
3/4	48x96	MDF	A-1

ALDER

Clear/Knotty

Thickness	Size	Type/Core	Grade
1/4	48x96	Clear VC	A-4
1/2	48x96	Clear VC	A-1
3/4	48x96	Clear VC	A-1
3/4	48x96	Knotty VC	A-1
13/16" - 1"		Edgebanding Tape	

ANIGRE

Quartered Highly Figured

Thickness	Size	Type/Core	Grade
	48x96 48x120 96x48		
1/4	✓	VC	A-4 SM#
1/2	✓	VC/MDF	A-1 SM#
3/4	✓	VC	A-1 SM#
3/4	✓	MDF	A-1 SM#
13/16" - 2"		Edgebanding Tape	

ASH

Plain Sliced Select White

Thickness	Size	Type/Core	Grade
	48x96 48x120 96x48		
1/8	✓	VC	A-3
1/4	✓	VC	A-3
1/4	✓	MDF	A-1
1/2	✓	MDF	A-1 SM#
1/2	✓	VC	A-1
3/4	✓	VC/MDF	A-1 SM#
3/4	✓	VC	A-1
3/4	✓	Flake	A-3 Counterfront
3/4	✓	VC/MDF	A-1 SM#
3/4	8x4	FRT MDF	A-1
1"	✓	VC	A-1
1 1/8"	✓	Flake	A-1 SM#
13/16" - 2"		Edgebanding Tape	

Quartered White

1/4	✓	VC	A-3
1/2	✓	VC	A-1
3/4	✓	VC	A-1
3/4	✓	MDF	A-1

Japanese, Tamo

3/4	48x118	Sen Back MDF Core	
-----	--------	-------------------	--

Figured European Flat Cut

3/4	✓	Flake	A-1
-----	---	-------	-----

Rough Cut Silver

3/4	4x8	MDF	
-----	-----	-----	--

BAMBOO

Caramelized

Thickness	Size	Type/Core	Grade
3/4	48x96	VG MDF FSC	
3/4	48x96	HG MDF FSC	
13/16" - 1"		Edgebanding Tape	

BEECH

European Quartered, Steamed

Thickness	Size	Type/Core	Grade
1/4	48x96	VC	A-3
1/2	48x96	VC	A-1
3/4	48x96	VC	A-1
3/4	48x96	MDF	A-1 SM#
13/16" - 2"		Edgebanding Tape	

BIRCH

Rotary Cut Select White

Thickness	Size	Type/Core	Grade
	48x96 48x120 60x96		
1/4	✓	VC	A-3
1/2	✓	VC	A-1
3/4	✓	VC WPF	A-1
3/4	✓	Uniform White VC	A-1
13/16" - 2"		Edgebanding Tape	

Rotary Cut Select Red

1/4	✓	VC	A-3
1/2	✓	VC	A-1
3/4	✓	VC WPF	A-1

BIRCH ROTARY CUT

Natural

Thickness	Size	Type/Core	Grade
	48x96 48x120 60x96		
1/8	✓	VC	B-4
1/4	✓	VC	B-4
1/4	✓	VC	B-1
3/8	✓	VC NAF	C-2
1/2	✓	MDF	B-2
1/2	✓	VC	D-3
5/8	✓	VC	C-2 (furn)
3/4	✓	VC WPF	C-2 (furn)
3/4	✓	VC	A-1
1"	✓	VC NAF	C-2 (furn)
1 1/8"	✓	VC NAF	C-2 (furn)
1 1/4"	✓	VC NAF	C-2 (furn)
1 1/2"	✓	VC NAF	C-2 (furn)
13/16" - 1"		Edgebanding Tape	
1/2"	✓	VC NAF	B-2
1"	✓	VC NAF	D-3

BUBINGA

Quartered

Thickness	Size	Type/Core	Grade
1/4	48x96	MDF	A-4
3/4	48x96	MDF	A-A
1"		Edge Strips x 122"	

CEDAR

Aromatic

Thickness	Size	Type/Core	Grade
1/4	48x96	VC	A-3
3/4	48x96	VC	A-1

CHERRY

Pre-Finished

Thickness	Size	Type/Core	Grade
	48x96 48x120 96x48		
1/4	✓	VC	A-3 1 Sided
1/2	✓	VC	A-1 2 Sided
3/4	✓	VC	A-1 2 Sided
13/16" - 2"		Edgebanding Tape	

American Plain Sliced

1/8	✓	VC	A-4
1/4	✓	VC	A-4
1/4	✓	MDF	A-1
3/8	✓	MDF	A-1 SM#
1/2	✓	MDF	A-1 SM#
3/4	✓	VC	A-1
3/4	✓	MDF/VC	A-1 SM#
3/4	✓	Counterfront Flake	A-3 SM#
3/4	✓	FC Fig MDF	A-1 SM#
3/4	✓	MDF/VC	A-1 SM#
3/4	✓	MDF FSC	A-1
3/4	✓	VC FSC	A-1
1 1/8"	✓	Flake	A-1 SM#
13/16" - 2"		Edgebanding Tape	

American, Quartered

1/4	✓	VC	A-4
1/2	✓	MDF	A-1
3/4	✓	MDF	A-1

Brazilian

See Jatoba			
------------	--	--	--

COLOR FIN FORM

Thickness	Size	Color
12mm & 18mm	96x48	Red
12mm & 18mm	96x48	Yellow
12mm & 18mm	96x48	Green
12mm & 18mm	96x48	Light Brown
12mm & 18mm	96x48	Dark Brown
12mm & 18mm	96x48	Black
12mm, 15mm & 18mm	96x48	Transparent
12mm & 18mm	96x48	White
18mm	96x48	Blue
18mm	96x48	Gray

EBONY

Macassar Quartered

Thickness	Size	Type/Core	Grade
	48x96 48x109 48x120		
3/4	✓	MDF	A/B

PLYWOOD

FIR

MDO Signboard

Thickness	Size			Type/Core	Grade
	48x96	48x120	96x48		
1/2	✓			2 Sided	
3/4	✓	✓		2 Sided	

Vertical Grain, Douglas

Thickness	Size			Type/Core	Grade
	48x96	48x120	96x48		
1/4	✓			VC	A-3
3/4	✓			VC	A-1
13/16" – 1"				Edgebanding Tape	

Marine

See Marine Plywood

GABOON OKOUME

Quartered Figured

Thickness	Size	Type/Core	Grade
3/4	48x96	MDF	A-A
13/16" – 1"		Edgebanding Strips x 100"	

GUM

Figured Red

Thickness	Size	Type/Core	Grade
3/4	48x109	MDF	A/B

HICKORY

Calico Flat Cut

Thickness	Size	Type/Core	Grade
1/4	48x96	VC	A-4
3/4	48x96	VC	A-1

HOMASOTE

Thickness	Size	Type/Core	Grade
1/2	48x96		

IMBUIA CLUSTER

Thickness	Size			Type/Core	Grade
	48x96	48x113	48x116		
3/4		✓		MDF Core	A-1

IMBUIA POMMELE

Thickness	Size			Type/Core	Grade
	48x96	48x120	96x48		
3/4			✓	VC	A-3
3/4			✓	VC	A-1

ITALIAN POPULAR

Thickness	Size			Type/Core	Grade
	48x96	48x120	96x48		
1/8	✓	✓	✓		

JATOBA

(Brazilian Cherry)

Thickness	Size	Type/Core	Grade
3/4	48x96	VC	A-1

KEWAZINGA

Thickness	Size	Type/Core	Grade
3/4	48x96	Flake Mahogany Back	A-1

LACEWOOD

Thickness	Size	Type/Core	Grade
1/4	48x96	MDF	A-3
3/4	48x96	MDF/Flake	A-1 SM#
1"		Edgebanding Strips x 100"	

LAUAN

Inquire within for availability.

LIMBA

Quartered Figured Calico

Thickness	Size	Type/Core	Grade
3/4	48x96	MDF	

MAHOGANY, Honduras

Inquire within for availability.

LYPTUS

Thickness	Size	Type/Core	Grade
1/4	48x96	VC	A-4
3/4	48x96	MDF/VC	A-1 SM#
13/16" – 1"		Edgebanding Tape	

MAKORE

Quartered Figured (block mottled)

Thickness	Size			Type/Core	Grade
	48x96	48x120	96x48		
3/4	✓			MDF	A-1 SM#
3/4		✓		MDF	AA
1"				Edgebanding Strips x 100"	

Fiddleback

1/4		✓		MDF	A-1 SM#
-----	--	---	--	-----	---------

Quartered Fiddleback

3/4		✓		MDF	AA-1 SM#
-----	--	---	--	-----	----------

MAPLE

Pre-Finished

Thickness	Size			Type/Core	Grade
	48x96	48x120	96x48		
1/4	✓			VC WPF 1 Sided	B-4
1/2	✓			VC WPF 2 Sided	C-2
5/8	✓			PF 2 Sided	C-2
3/4	✓			MDF WPF 2 Sided	C-2
3/4		✓		PF 2 Sided	C-2
3/4	✓			VC WPF 1 & 2 Sided	C-2
3/4	✓			VC FSC 2 Sided	
3/4		✓		Flake FR NAF	
1"	✓			VC WPF 2 Sided	B-2
13/16" – 1 1/4"				Edgebanding Tape	

Plain Sliced Select White

1/4	✓			VC	A-3
1/4	✓			MDF	A-1 SM#
3/8	✓			MDF	A-1 SM#
1/2	✓			VC	A-1
1/2	✓	✓		MDF	A-1 SM#
3/4	✓			VC	
3/4	✓			VC/MDF	SM#
3/4		✓		MDF	A-4 Counterfront
3/4		48x144		MDF	A-1
3/4		60x96		MDF	A-1
3/4	✓			Europly FSC	
3/4		✓		VC/MDF	A-1 SM#
1"	✓			VC	A-1
1 1/8"	✓			VC/PBC	A-1 SM#
13/16" – 2"				Edgebanding Tape	

Rotary Cut Natural

1/8	✓			VC	B-4
1/4	✓	✓		VC	B-4
1/4	✓			VC WPF	B-4
1/4	✓			VC	B-1
1/2	✓			VC	C-2 (furn)
1/2	✓	✓		VC	C-2 (furn)
1/2	✓	✓			D-3
3/4	✓	✓		VC WPF	C-2 (furn)
3/4	✓			VC WPF	A-1
3/4	✓	✓		WPF	D-3
1"	✓			VC WPF	A-1
1"	✓			VC FSC	D-3

Rotary Cut Select White

1/4	✓			VC	A-4
1/2	✓			VC	A-1
3/4	✓			VC/MDF	A-1
1"	✓			VC	A-1

Quartered White

1/4	✓			VC	A-4
1/2	✓			MDF	A-1
3/4	✓	✓		MDF	A-1

*Green indicates FSC products.

45 North Industry Court • Deer Park, New York 11729 / P. 631-586-7700 F. 631-586-7009

PLYWOOD

MAPLE con't

Birds Eye Heavy

Thickness	Size			Type/Core	Grade
	48x96	48x120	96x48		
1/4	✓			MDF	AA-3 SM#
3/4	✓			MDF	AA-1 SM#
3/4		✓		MDF	AA-1 SM#
4/4				FAS S2S Lumber	

Fig

3/4	✓			QTD Fig Maple MDF	
3/4	✓			FC Fig Maple MDF	
3/4	✓			Curly Maple MDF	

Drawer Sides Pre-Finished

1/2" Thick	2"-12" x 96	Banded Top
------------	-------------	------------

FSC

3/4	✓			RC Natural Maple VC NAUF	C-3
3/4	✓			PS White Maple VC FSC	A-1
3/4	✓			PS White Maple MDF FSC	A-1
3/4				PF Maple 2 Sides FSC	C-1
3/4	✓			PF Maple Flake NAF FSC	C-1
3/4	✓			PS White Maple Europly NAUF FSC	
1"	✓			RC Natural Maple VC NAF FSC	D-3

MULTI-PLY RUSSIAN BIRCH

Thickness	Size			Type/Core	Grade
	60x60	96x48	120x60		
3 mm	✓			3-ply	
6 mm	✓			5-ply	
6 mm		✓		Exterior Glue 5-ply	
9 mm	✓			7-ply	
9 mm		✓		Exterior Glue 7-ply	B/BB
12 mm	✓		✓	9-ply	
12 mm		✓		Exterior Glue 9-ply	
12 mm			30x60	Pre-finished	B/BB
15 mm	✓			11-ply	
15 mm		✓		Exterior Glue 11-ply	
18 mm	✓			13-ply	
18 mm		✓	✓	Exterior Glue 13-ply	
24 mm		✓		Exterior Glue 17-ply	
25 mm	✓			19-ply	
27 mm		✓		Exterior Glue 19-ply	
30 mm		✓		Exterior Glue	

OAK

Red, Pre-Finished

Thickness	Size			Type/Core	Grade
	48x96	48x120	96x48		
1/4	✓			VC 1 Sided	A-4
1/2	✓			VC 2 Sided	A-1
3/4	✓	✓		VC 2 Sided	A-1
13/16" -15/16"				Edgebanding Tape	

Red Plain Sliced

1/4	✓			VC	A-4
1/2	✓	✓		VC NAF	A-1

OAK con't

Red Plain Sliced, con't

Thickness	Size			Type/Core	Grade
	48x96	48x120	96x48		
1/2	✓			MDF	A-1 SM#
5/8	✓			VC NAF	A-1
3/4	✓	✓		VC	A-1 SM#
3/4	✓	✓		MDF	A-1 SM#
3/4			✓	Flake	A-4 Counterfront
3/8		4x8		MDF	A-1 SM#
1"	✓			VC NAF	A-1
13/16" - 2"				Edgebanding Tape	

Red Plain Sliced Figured

3/4	✓			Flake	A-1
-----	---	--	--	-------	-----

Red Rift Cut

1/4	✓			VC	A-3
1/2	✓			VC	A-1
3/4	✓			MDF/VC	A-1 SM#
3/4		✓		MDF	A-1

Red Rotary Cut

3/4	✓			VC	A-1
-----	---	--	--	----	-----

White Pre-Finished

1/2	✓			PFVC 2 Sided	A-1
3/4	✓			PFVC 2 Sided	A-1
1"	✓			PFVC 2 Sided	A-1

White Plain Sliced

1/4	✓			VC	A-4
1/4	✓			MDF	A-1
1/2	✓			VC	A-1
1/2	✓			MDF	A-1 SM#
3/4	✓			VC	A-1
3/4	✓	✓		VC	A-1 SM#
3/4	✓	✓		MDF	A-1 SM#
1"	✓			VC	A-1
1 1/8"	✓			Flake	A-1 SM#
13/16" - 2"				Edgebanding Tape	

White Quarter Cut, Heavy Flek "Tiger"

1/4	✓			MDF	A-1
1/4	✓			VC	A-4
1/2	✓			MDF	A-1 SM#
1/2	✓			VC	A-1
3/4	✓			VC	A-1
3/4	✓	✓		MDF	A-1

White Rift Cut

1/4	✓			VC	A-3
1/4	✓			MDF	A-1 SM#
3/8	✓			MDF	A-1
1/2	✓			VC	A-1
1/2	✓	✓		MDF	A-1 SM#
3/4	✓			VC	A-1 SM#
3/4	✓	✓		VC/NAF	A-1
3/4	✓	✓		MDF	A-1 SM#
1"		4x8		MDF	A-1 SM#
1 1/8"			✓	Flake	A-1 SM#

OAK con't

Combgrain German

Thickness	Size			Type/Core	Grade
	48x96	48x108	48x120		
3/4	✓	✓		MDF	A-1

Fumed German

3/4			✓	MDF	A-A
4/4, 8/4				FAS Lumber	

Wormy

3/4	✓			FC Wormy White Oak MDF	A-1
3/4	✓			QTD Wormy White Oak MDF	A-1

Qtd. European Smoked

3/4	✓		✓	MDF	
-----	---	--	---	-----	--

Rough Cut Smoked

3/4	✓			MDF	
-----	---	--	--	-----	--

Rough Cut European White

3/4	✓			MDF	
-----	---	--	--	-----	--

Reclaimed Beamboard

3/4	✓			MDF	
-----	---	--	--	-----	--

Scratch Texture Knotty

3/4	✓			MDF	
-----	---	--	--	-----	--

OLIVEWOOD

Italian

Thickness	Size	Type/Core	Grade
1/2	48x96	MDF 1-Sided	
3/4	48x96	MDF 1 & 2 Sided	

PEARWOOD

Thickness	Size			Type/Core	Grade
	48x96	48x108	48x120		
1/4	✓			PS Pearwood MDF	A-4, A-1
3/4	✓			PS Pearwood MDF, QTD Back	
3/4	✓			PS Pearwood MDF, Cherry Back	
3/4	✓			PS Pearwood Flake AA Figured	
3/4		✓		Qtd Fig Pearwood MDF	

PINE

Clear (Idaho White)

Thickness	Size	Type/Core	Grade
1/4	48x96	VC	A-3
1/2	48x96	VC	A-1
3/4	48x96	VC	A-1
13/16" - 1"		Edgebanding Tape	

Knotty

1/4	48x96	VC	A-3
1/2	48x96	VC	A-1
3/4	48x96	VC	A-1

Southern Yellow

1/2	48x96	VC	A-1
3/4	48x96	VC	A-1

PLYWOOD

ROSEWOOD

Santos Flat Cut

Thickness	Size	Type/Core	Grade
	48x96 48x109 48x120		
1/2	48x114	MDF	A-1 SM#
3/4	✓	MDF	A-A SM#
3/4	✓	VC 1 & 2 Sided	
1"		Edgestrips x 100"	

SAPELE

Pre-Finished

Thickness	Size	Type/Core	Grade
	48x96 48x120 96x48		
1/4	✓	1 Sided	A-4
1/2	✓	VC, 2 Sided	A-1
3/4	✓	VC, 2 Sided	A-1
13/16" - 1"		Edgebanding Tape	

Plain Sliced

5/32	✓	VC	A-4
1/4	✓	VC	A-4
1/4	✓	MDF	A-1 SM#
3/8	✓	MDF	A-1 SM#
1/2	✓	VC	A-1
1/2	✓	MDF	A-1 SM#
3/4	✓	VC	A-1 SM#
3/4	✓	MDF	A-1 SM#
3/4	✓	VC	A-1
3/4		MDF	A-3 Counterfront
1"	✓	VC	A-1
1 1/8"	✓	Flake	A-1 SM#
13/16" - 2"		Edgebanding Tape	

Quartered Ribbon Stripe (QTD)

1/4	✓	VC	A-3
1/4	✓	MDF	A-1 SM#
3/8	✓	MDF	A-1 SM#
1/2	✓	MDF/VC	A-1 SM#
3/4	✓	VC	A-1
3/4	✓	MDF	A-1 SM#
1"	✓	VC	A-1
1 1/8"	✓	Flake	A-1 SM#

SYCAMORE

English Quartered Fiddleback

Thickness	Size	Type/Core	Grade
	48x96 48x108 48x120		
1/4	✓	MDF	A-4 SM#
1/2	✓	MDF	
3/4	✓	MDF	A-A SM#
3/4	✓	MDF Maple Back	A-1 SM#
1"		Edgebanding Strips x 100"	

TEAK

Flat Cut

Thickness	Size	Type/Core	Grade
1/4	48x96	VC	A-3
1/2	48x96	VC	A-1
1/2	48x96	MDF	SM#
3/4	48x96	VC	A-1 SM#
3/4	48x96	MDF	A-1 SM#
13/16" - 1"		Edgebanding Tape (also see Marine)	
<i>Quartered</i>			
3/4	48x96	MDF	A-1
3/4	48x96	VC	A-1 SM#

TINEO

Chilean Apple

Thickness	Size	Type/Core	Grade
	48x96 48x120 96x48		
3/4	✓	MDF	

TROPICAL OLIVEWOOD

(A.K.A Mozambique)

Thickness	Size	Type/Core	Grade
3/4	48x108	MDF	A-1

WALNUT

Pre-Finished American Black

Thickness	Size	Type/Core	Grade
	48x96 48x120 96x48		
1/4	✓	PF Walnut VC 1 Sided	A-4
1/2	✓	PF VC 2 Sided	A-1
3/4	✓	VC 2 Sided	A-1
13/16" - 1"		Edgebanding Tape	

Plain Sliced American Black

1/8	✓	VC	A-3
1/4	✓	VC	A-3
1/4	✓	MDF	A-1 SM#
3/8	✓	MDF	A-1 SM#
1/2	✓	VC	A-1
1/2	✓	MDF	A-1 SM#
3/4	✓	VC	A-1
3/4	✓	VC/Flake/MDF	A-1 SM#
3/4		MDF	A-4 Counterfront
3/4	✓	MDF/VC	A-1 SM#
3/4	✓	Nauf VC	A-1 FSC
3/4	✓	VC FSC	A-1
1"	✓	VC/MDF	A-1
1 1/8"	✓	Flake	
13/16" - 2"		Edgebanding Tape	

WALNUT con't

Quartered American Black

Thickness	Size	Type/Core	Grade
	48x96 48x120 96x48		
1/4	✓	VC	A-1
1/2	✓	MDF	A-1
3/4	✓	MDF	A-1
<i>European</i>			
1/2	✓	European Walnut MDF	
3/4	✓	European Walnut MDF	
3/4	✓	FC Figured French Walnut MDF	
3/4	✓	Qtd. Fig European Walnut MDF	A-1

WENGE

Quarter Cut

Thickness	Size	Type/Core	Grade
1/2	48x96	MDF	A-1
3/4	48x96	MDF	A-1 SM#
1"		Edgebanding Strips x 120"	

ZEBRAWOOD

Quarter Cut

Thickness	Size	Type/Core	Grade
1/4	48x96	MDF	A-1
3/4	48x96	MDF	A-1 SM#
1"x 96"		Edgebanding Strips	

*Green indicates FSC products.

45 North Industry Court • Deer Park, New York 11729 / P. 631-586-7700 F. 631-586-7009

VENEER

AFROMOSIA

Thickness	Size	Type/Core	Grade
20 mil.	48x96 48x120 96x48	PB Veneer	

ALDER

Thickness	Size	Type/Core	Grade
20 mil.	48x96	PB Veneer	

ANIGRE

Quartered Highly Figured

Thickness	Size	Type/Core	Grade
20 mil.	48x96 48x120 96x48	PB Veneer	
2-ply		NBL Veneer	

Plain

Thickness	Size	Type/Core	Grade
20 mil.	48x96	PB Veneer	

ASH

Plain Sliced Select White

Thickness	Size	Type/Core	Grade
20 mil.	48x144	PB Veneer	
20 mil.		PB Counterfront Veneer	
2-ply		Veneer	

Quartered White

Thickness	Size	Type/Core	Grade
20 mil.		PB Veneer	
2-ply		Veneer	

Burl

Thickness	Size	Type/Core	Grade
Fleece & Flex		Olive Burl PB Veneer	
Fleece & Flex		White Ash Burl PB Veneer	

European FSC

Thickness	Size	Type/Core	Grade
Fleece & Flex		Veneer	

Japanese, Tamo

Thickness	Size	Type/Core	Grade
2-ply	48x118	Veneer	
1/42"		Clipped & Bundled Raw Veneer	

Spalted Olive

Thickness	Size	Type/Core	Grade
Fleece Back		Veneer Olive Burl	

Rough Cut Silver Ash

Thickness	Size	Type/Core	Grade
20 mil.		Veneer	

AVODIRE

Quartered Figured

Thickness	Size	Type/Core	Grade
2-ply	48x96	Veneer	

BAMBOO

Horizontal & Vertical

Thickness	Size	Type/Core	Grade
20 mil.	48x96	Natural PB Veneer Horizontal	
20 mil.	48x96	Carmelized PB Veneer	
Fleece & Flex	48x96	HG Carmelized FSC	

BEECH

European Quartered, Steamed

Thickness	Size	Type/Core	Grade
20 mil.	48x96 48x120 96x48	PB Veneer	
2-ply		NBL Veneer	

BIRCH

Rotary Cut Select White

Thickness	Size	Type/Core	Grade
20 mil.	48x96 48x120 96x48	PB Veneer	
2-ply		Veneer	
20 mil.		Flamed White Birch Veneer	

Rotary Cut Select Red

Thickness	Size	Type/Core	Grade
20 mil.		PB Veneer	
2-ply		Veneer Ice Birch	
Fleece & Flex		Veneer	

KARELIAN BIRCH BURL

Figured Red

Thickness	Size	Type/Core	Grade
Fleece & Flex	48x96 48x112 48x118		

BUBINGA

Quartered

Thickness	Size	Type/Core	Grade
20 mil.	48x96	PB Veneer	

BUTCUT

Fumed Larch Blackshield

Thickness	Size	Type/Core	Grade
Fleece & Flex	48x96	Veneer	

Walnut Leheria

Thickness	Size	Type/Core	Grade
Fleece & Flex	48x96	Veneer	

Larch Half Moon

Thickness	Size	Type/Core	Grade
Fleece & Flex	48x96	Veneer	

Fumed Oak Triangle

Thickness	Size	Type/Core	Grade
Fleece & Flex	48x96	Veneer	

Moon Heart

Thickness	Size	Type/Core	Grade
Fleece & Flex	48x96	Veneer	

Swiss Pearwood

Thickness	Size	Type/Core	Grade
Fleece & Flex	48x96	Veneer	

Oak Circle

Thickness	Size	Type/Core	Grade
Fleece & Flex	48x96	Veneer	

BUTTERNUT

Plain Sliced

Thickness	Size	Type/Core	Grade
20 mil.	48x96	PB Veneer	

CEDAR

Aromatic

Thickness	Size	Type/Core	Grade
20 mil.	48x96	PB Veneer	
2-ply	48x96	Veneer	

Spanish

Thickness	Size	Type/Core	Grade
20 mil.	48x96	PB Veneer	

Western Red

Thickness	Size	Type/Core	Grade
2-ply	48x96	Veneer	

CHERRY

Plain Sliced

Thickness	Size	Type/Core	Grade
20 mil.	48x120 96x48	PB Counterfront Veneer	
20 mil.		PB Veneer	
2-ply		Veneer	
Duraback		Veneer	

Quartered

Thickness	Size	Type/Core	Grade
20 mil.		PB Veneer	
2-ply		Veneer	

Pre-Finished

Thickness	Size	Type/Core	Grade
20 mil.		PB Veneer	

Figured

Thickness	Size	Type/Core	Grade
10 mil.			

Flat Cut FSC

Thickness	Size	Type/Core	Grade
Fleece & Flex		Veneer	

CHESTNUT

Quartered

Thickness	Size	Type/Core	Grade
20 mil.	48x96	PB Veneer	

COCOBOLO

Quartered

Thickness	Size	Type/Core	Grade
1/42"		Clipped & Bundled Raw Veneer	

EBONY

Macassar Quartered

Thickness	Size	Type/Core	Grade
20 mil.	48x96 48x108 48x120	Veneer	
Fleece & Flex			

ELM

Carpathian Burl

Thickness	Size	Type/Core	Grade
20 mil.	48x96 48x108 48x120	PB Veneer	

FC Gray

Thickness	Size	Type/Core	Grade
Fleece & Flex			

VENEER

EUCALYPTUS

Smoked

Thickness	Size	Type/Core	Grade
	48x96 48x103 48x113		
Fleece & Flex	✓ ✓ ✓		

FIR

Vertical Grain, Douglas

Thickness	Size	Type/Core	Grade
20 mil.	48x96	PB Veneer	

GABOON

Quartered Figured

Thickness	Size	Type/Core	Grade
2-ply	48x96	Veneer	

GOIABAU

Brazilian Teak

Thickness	Size	Type/Core	Grade
Fleece & Flex	48x109		

GUM

Figured Red

Thickness	Size	Type/Core	Grade
	48x96 48x120 96x48		
Fleece & Flex	✓ ✓ ✓	Veneer	

HICKORY

Calico Flat Cut

Thickness	Size	Type/Core	Grade
20 mil.	48x96	PB Veneer	

IMBUIA Burl

Thickness	Size	Type/Core	Grade
20 mil.	48x96	PB Veneer	

JATOBA

(Brazilian Cherry)

Thickness	Size	Type/Core	Grade
20 mil.	48x96	PB Veneer	
NBL	48x96	Veneer	

Quartered Figured

Fleece & Flex	48x96	Veneer	
---------------	-------	--------	--

JECQUITIBA

Thickness	Size	Type/Core	Grade
20 mil.	48x96	Veneer	

KEWAZINGA

Thickness	Size	Type/Core	Grade
20 mil.	48x96	PB Veneer	

KOA

Hawaiian Quartered Figured

Thickness	Size	Type/Core	Grade
20 mil.	48x96	PB Veneer	

LACEWOOD

Thickness	Size	Type/Core	Grade
	48x96 48x103 48x118		
20 mil.	✓	PB Veneer	
2-ply	✓	Veneer	
Fleece & Flex	✓ ✓		

LARCH

European

Thickness	Size	Type/Core	Grade
Fleece & Flex Veneer	48x120	Veneer	

LYPTUS

Plain Slice

Thickness	Size	Type/Core	Grade
20 mil.	48x96	PB Veneer	

MADRONE

Thickness	Size	Type/Core	Grade
NBL	48 x 96	PB Veneer	

MADRONE Burl

Thickness	Size	Type/Core	Grade
20 mil.	48x96	PB Veneer	

MAHOGANY

Crotch

Thickness	Size	Type/Core	Grade
	48x96 48x120 96x48		

Inquire within for select sizes

Honduras Flat Cut

20 mil.	✓	PB Veneer	
Duraback	✓	Veneer	

MAKORE

Quartered Figured (Block Mottled)

Thickness	Size	Type/Core	Grade
	48x96 48x120 96x48		
20 mil.	✓	PB Veneer	
2 ply	✓	NBL	

MAPLE

Birds Eye Heavy

Thickness	Size	Type/Core	Grade
	48x96 48x120 96x48		
20 mil.	✓	PB Veneer	

Figured

20 mil.	✓	Qtd. Figured Veneer	
20 mil.	✓	Curly Veneer	

MAPLE

Plain Sliced Select White

Thickness	Size	Type/Core	Grade
	48x96 48x120 96x48		
1c mil.	✓	Veneer	
20 mil.	✓ ✓	PB Veneer	
2-ply	✓ ✓	Veneer	
Duraback	✓	Veneer	
Fleece & Flex	✓	FSC Veneer	
NBL	✓	Veneer	

Pre-Finished

20 mil.	✓	PB Veneer	
---------	---	-----------	--

Quartered White

20 mil.	✓ ✓	PB Veneer	
---------	-------	-----------	--

Quilted Big Leaf Western

20 mil.	✓	Veneer	
---------	---	--------	--

MAPLE Burl

Thickness	Size	Type/Core	Grade
20 mil.	48x96	PB Veneer	

MAPPA Burl

Thickness	Size	Type/Core	Grade
	48x96 48x109 96x48		
Veneer AA Premium	✓	PB Veneer	
Fleece & Flex	✓ ✓		

OAK

Red Pre-Finished

Thickness	Size	Type/Core	Grade
	48x96 48x120 96x48		
20 mil.	✓	Veneer	

Red Plain Sliced

20 mil.	✓	PB Veneer Counterfront	
20 mil.	✓ ✓	PB Veneer	
2-ply	✓	Veneer	
Duraback	✓	Veneer	

Red Rift Cut

20 mil.	✓	PB Veneer	
2-ply	✓	Veneer	

White Rift

20 mil.	✓	PB Veneer	
20 mil.	✓	PB Veneer	

White Plain Sliced

20 mil.	✓ ✓	PB Veneer	
20 mil.	✓	PB Veneer	
2-ply	✓	Veneer	
Fleece & Flex	✓	FSC Veneer	

White Quarter Cut, Heavy "Tiger" Flek

20 mil.	✓	PB Veneer	
20 mil.	✓	PB Veneer	
2-ply	✓	Veneer	

VENEER

OAK con't

Rough Cut White

Thickness	Size	Type/Core	Grade
	4x10 48x96 48x108		
Fleece & Flex	✓	Veneer	

Quartered Smoked

20 mil.	✓	Veneer	
---------	---	--------	--

German Combgrain

20 mil.	✓	PB Veneer	
---------	---	-----------	--

Fumed German

Fleece & Flex			
---------------	--	--	--

English Brown, Quartered

20 mil.	✓	PB Veneer	
---------	---	-----------	--

Pippy English

Fleece & Flex	✓		
---------------	---	--	--

European Shinning Gray

Fleece & Flex	✓		
---------------	---	--	--

Smoked Moon Ring

Fleece & Flex	✓		
---------------	---	--	--

European Shinning Venezia Rustic Brown

Fleece & Flex	✓		
---------------	---	--	--

European Sanblast Rustic Gray

Fleece & Flex	✓		
---------------	---	--	--

Coco Nero Oak

Fleece & Flex	✓		
---------------	---	--	--

Coco Coffee

Fleece & Flex	✓		
---------------	---	--	--

OAK Burl

Scottish Brown

Thickness	Size	Type/Core	Grade
	48x96 48x109 48x118		
Fleece & Flex	✓ ✓	Veneer	

OLIVEWOOD

Italian

Thickness	Size	Type/Core	Grade
Fleece & Flex	48x96	Veneer	

PEARWOOD

Thickness	Size	Type/Core	Grade
	48x96 48x109 48x118		
1/42"	Figured FC/QTD, Clipped & Bundled Raw Veneer		
20 mil.	✓	PB Veneer	
2-ply	✓	Veneer	

PINE

Clear (Idaho White)

Thickness	Size	Type/Core	Grade
20 mil.	48x96	PB Veneer	
2-ply	48x96	Veneer	

Knotty

20 mil.	48x96	PB Veneer	
2-ply	48x96	Veneer	

PLANETREE

Quartered

Thickness	Size	Type/Core	Grade
20 mil.	48x120	Veneer	

PURPLEHEART

Thickness	Size	Type/Core	Grade
20 mil.	48x96	PB Veneer	

ROSEWOOD

Santos Flat Cut

Thickness	Size	Type/Core	Grade
Fleece & Flex	50x122, 50x104	Veneer	

SAPELE

Plain Sliced

Thickness	Size	Type/Core	Grade
	48x96 48x120 96x48		
20 mil.	✓ ✓	PB Veneer	
2-ply	✓	Veneer	
Duraback	✓	Veneer	

FSC Plain Slice

Fleece & Flex	✓	Veneer	
---------------	---	--------	--

Quartered Ribbon Stripe

20 mil.	✓	PB Veneer	
20 mil.	✓	AA Grade	
2-ply	✓	Veneer	

Pommele

Fleece & Flex	✓	Veneer	
---------------	---	--------	--

Fig Block Mottled

20 mil.	✓	Veneer	
---------	---	--------	--

SATINWOOD

Nigerian (Movingue)

Thickness	Size	Type/Core	Grade
20 mil.	48x96, 48x72	PB Veneer	

SYCAMORE

English Quartered Fiddleback

Thickness	Size	Type/Core	Grade
20 mil.	48x96	PB Veneer	
2-ply	48x96	Veneer	
Fleece & Flex	48x109	Veneer	

TEAK

Flat Cut

Thickness	Size	Type/Core	Grade
20 mil.	48x96	PB Veneer	
2-ply	48x96	Veneer	

Quartered

20 mil.	48x96	Veneer	
2-ply	48x96	Veneer	

Combgrained

20 mil.	48x96	Veneer	
---------	-------	--------	--

TINEO

Chilean Apple

Thickness	Size	Type/Core	Grade
	48x96 48x120 96x48		
20 mil.	✓	Veneer	
Fleece & Flex	✓	Veneer	

WALNUT

Plain Sliced American Black

Thickness	Size	Type/Core	Grade
	48x96 48x120 96x48		
20 mil.	✓ ✓	PB Veneer	
2-ply	✓	Veneer	

Pre-Finished Plain Slice

20 mil.	✓	PB Veneer	
---------	---	-----------	--

Quartered

20 mil.	✓ ✓	PB Veneer	
2-ply	✓	Veneer	

Figured European

Fleece & Flex	✓	Veneer	
---------------	---	--------	--

Flat Cut

Fleece & Flex	✓	Veneer	
---------------	---	--------	--

Flat Cut Figured

20 mil.	✓	PB Veneer	
2-ply	✓	Veneer	

Combgrained

20 mil.	✓	Veneer	
---------	---	--------	--

Queensland

20 mil.	✓	Veneer	
---------	---	--------	--

WALNUT Burl

Thickness	Size	Type/Core	Grade
20 mil.	48x96	PB Veneer	

WALNUT Crotch

Thickness	Size	Type/Core	Grade
2-ply	Various Sizes	Veneers	

WENGE

Quarter Cut

Thickness	Size	Type/Core	Grade
20 mil.	48x96	PB Veneer	
2-ply	48x96	NBL	

ZEBRAWOOD

Quarter Cut

Thickness	Size	Type/Core	Grade
20 mil.	48x96	PB Veneer	
NBL	48x96	Veneer	

LUMBER

Name	Thickness	Name	Thickness
Acacia Locust FSC 100%	8/4 SLAB	Makore, Plain & Figured	4/4 - 6/4, 8/4, 12/4
Afrosomia	4/4, 8/4	Maple, Hard White	4/4 - 6/4, 8/4
Afrosomia	4/4 SLAB	Maple, Hard, QTD., Rift	4/4, 8/4
Alder	4/4, 5/4, 8/4	Maple, Hard Curly FC	4/4
Anigre	5/12, 4/4, 8/4, 12/4	Maple, Birds Eye	4/4
Anigre, Birds Eye	8/4 SLAB	Maple, Soft Ambrosia FC	4/4
Anigre, Figured	50mm	Maple, Soft Curly FC	4/4, 5/4, 12/4
Aquqri Quara	40" x 44" Height	Maple, Soft Natural FC	4/4, 5/4
Ash	4/4, 6/4, 8/4	Maple, Soft White FC	4/4, 5/4, 10/4
Ash	12/4 SLAB	Maple, Western Curly FC	4/4, 6/4
Ash, Curly FSC	12/4 SLAB	Maple, Western Quilted FC	4/4, 5/4
Ash, European	10/4	Mappa Natural Edge	2" 1/2 - 7" SLAB
Ash, European Figured	10/4 SLAB	2" - 6" Thick x 20"-60" Wide	
Avodire	4/4, 8/4	Mappa	Up to 13" Long Lumber SLAB
Basswood	4/4, 8/4	Moabi, Pomelle	5/4, 8/4
Beech, European FSC	4/4, 8/4	Movingue (Nigerian Satinwood)	4/4, 5/4, 8/4
Birch, Curly Yellow	10/4 SLAB	Nogal, Peruvian Walnut	4/4
Birch, Karelian	4" Logs	Oak, English Brown	5/4, 8/4
Birch, Red	4/4	Oak, European	
Bubinga	4/4, 8/4	Oak, German Qtd. (Spessart)	4/4, 5/4, 8/4, 12/4
Bubinga	8/4, 10/4 SLAB	Oak, Red	4/4, 5/4, 8/4
Bubinga, Waterfall	8/4	Oak, White	4/4 - 8/4
Bubinga, Pommele	8/4	Oak, White Qtd.	4/4, 6/4, 8/4
Bubinga, Rounds	4" x 40", 4" x 60", 8/4	Oak, White Rift	4/4, 5/4, 8/4
Butternut	4/4	Ovangonkol	6/4
Cedar, Aromatic	4/4	Ovangonkol, Figured	10/4
Cedar, Spanish (Odorata)	4/4, 5/4, 8/4, 9/4, 10/4	Padauk, African	5/4, 8/4, 10/4
Cedar of Lebanon	5" x 25" x 135 SLAB	Padauk Boule	8/4 SLAB
Cherry	8/4 SLAB	Palmwood Black	9/4
Cherry FC	4/4 - 6/4, 8/4, 10/4, 12/4	Pao Rosa	8/4 SLAB
Cherry, Figured	4/4	Pearwood Swiss	4/4 - 8/4
Cherry, Figured	10/4 SLAB	Poplar	4/4 - 16/4
Cherry, Fire FSC	9/4, 10/4 SLAB	Purpleheart	4/4, 8/4
Cherry Circles	Inquire Within Regarding Sizes	Rosewood, Madagascar	Blocks
Chestnut, Italian Clear	8/4	Rosewood, Santos	4/4, 8/4, 10/4
Chestnut, Wormy, Reclaimed	4/4, 8/4	Rosewood, Santos (Special)	32mm
Cottonwood Burl	3" SLAB	Sapele	4/4, 5/4, 8/4, 12/4
Douka (a.k.a Makore)	12/4 SLAB	Sapele	8/4, 10/4, 12/4 SLAB
Ebony, Macassar	4/4, 6/4, 8/4	Sapele	Billet
Ebony, Macassar	8/4 SLAB	Sapele Pommele	10/4 SLAB
Ebony, Macassar, lrg blocks sold by lb.	4" x 6" x 100", 12" x 12" x 120", etc.	Sipo	4/4, 5/4, 8/4
Elm, European Red	12/4 SLAB	Sipo	12/4 SLAB
Guanacaste, River Reclaimed	16/4 SLAB	Sycamore, English	4/4, 6/4, 8/4
Hickory FC	4/4, 5/4	Sycamore, European Figured	4/4, 6/4, 8/4, 12/4
Hickory, Knotty Rustic FC	4/4	Teak	44, 5/4, 6/4, 8/4 SLAB
Ipe Decking	1" x 4", 5/4 x 6"	Teak, Burmese F.E.Q.	4/4, 6/4, 8/4, 10/4
Iroko	4/4	Tineo, Chilean Apple Mostly QTD.	8/4
Iroko (African Teak)	4/4, 8/4	Tropical Olivewood (A.K.A Ovangonkol & Mozambique)	6/4
Iroko (African Teak) A.D.	6" x 6", 3" x 8"	Tropical Olivewood Figured	10/4 SLAB
Iroko (African Teak)	10/4 SLAB	Walnut, Black	4/4 - 16/4
Jatoba	4/4, 5/4	Walnut, Claro	10/4, 12/4
Jatoba (Brazilian Cherry)	8/4 SLAB	Walnut, European	7/4, 10/4 SLAB
Kingwood	4/4	Walnut	8/4, 10/4, 12/4 SLAB
Koa, Hawaiian	4/4	Wenge	4/4, 5/4, 8/4
Madrone Burl	2" - 3" SLAB	Wenge	8/4 SLAB
Mahogany, Genuine Pattern	4/4 - 6/4, 8/4, 12/4, 16/4	Zebrawood	4/4, 7/4
		Ziricote	4/4, 5/4, 6/4, 8/4

*Green indicates FSC products.

45 North Industry Court • Deer Park, New York 11729 / P. 631-586-7700 F. 631-586-7009

MARINE PLYWOOD

KING STAR BOARD

Thickness	Size	Type/Core	Grade
1/2	48x96		
3/4	48x96		

MERANTI

Marine Grade

Thickness	Size	Type/Core	Grade
6 mm	48x96	BS 1088 5-ply	
12 mm	48x96	BS 1088 9-ply	
18 mm	48x96	BS 1088 13-ply	
25 mm	48x96	BS 1088 17-ply	

DOUGLAS FIR MARINE

Thickness	Size	Type/Core	Grade
	48x96 48x120 96x48		
1/2"	✓		
3/4	✓ ✓		AB
1"	✓		

NAUTICAL TEAK

Thickness	Size	Type/Core	Grade
3 mm	48x96	3-ply	A-3
6 mm	48x96	5-ply	A-3 & A-A
9 mm	48x96	7-ply	AA
12 mm	48x96	7-ply	
18 mm	48x96	11-ply	

OKOUME

Thickness	Size	Type/Core	Grade
	48x96 60x120 96x48		
3 mm	✓	3-ply	
4 mm	✓	3-ply	
6 mm	✓ ✓	5-ply	
9 mm	✓ ✓	7-ply	
12 mm	✓ ✓	7-ply	
15 mm	✓	9-ply	
18 mm	✓ ✓	11-ply	

SAPELE MARINE

(African Mahogany)

Thickness	Size	Type/Core	Grade
3 mm	48x96	3-ply	
4 mm	48x96	3-ply	
6 mm	48x96	5-ply	
9 mm	48x96	7-ply	
12 mm	48x96	7-ply	
15 mm	48x96	9-ply	
18 mm	48x96	11-ply	

TEAK CABIN SOLE MARINE

(2 3/8" Teak, 1/4" White Wood)

Thickness	Size	Grade
6 mm, 9mm, 12 mm, 18 mm	48x96	

MELAMINE

PANOLAM & UNIBOARD

Inquire within for all colors, sizes, & thicknesses in stock. We have matching mica and edge banding. Call for details.

www.panolam.com
www.uniboard.com

FSC MELAMINE

Thickness	Size	Type/Core	Grade
1/4	48x96	Black MDF NAF FSC 2 Sided	
1/4	48x96	White MDF NAF FSC 2 Sided	
1/2	48x96	Black MDF NAF FSC 2 Sided	
1/2	48x96	White MDF NAF FSC 2 Sided	
1/2	48x96	White Fire Ret FSC 2 Sided	
5/8	48x96	White NAF FSC 2 Sided	
3/4	48x96	Black NAF FSC 2 Sided	
3/4	48x96	White NAF FSC 2 Sided	
3/4	48x96	White Arries NAUF FSC 2 Sided	
3/4	48x96	White Medex FSC 2 Sided	
3/4	48x96	White Fire Ret FSC 2 Sided	
3/4	48x96	Almond NAUF FSC 2 Sided	

MICA

Pionite

Inquire within for all colors, sizes, & thicknesses in stock.

www.pionite.com

SUBSTRATES

ARRIES

No Added Urea Formaldehyde, FSC

Thickness	Size	Type/Core	Grade
	48x96 48x120 60x96 60x120		
1/4	✓ ✓		
1/2	✓ ✓		
5/8	✓		
11/16	✓ ✓		
3/4	✓ ✓ ✓ ✓		
1"	✓		

EXTIRA MDF

Exterior Application Use

Thickness	Size	Type/Core	Grade
1/2	48x96		
5/8	48x96		
3/4	48x96		
1"	48x96		
1 1/4"	48x96		

SUBSTRATES

FIBERBOARD (MDF)

Thickness	Size	Type/Core	Grade
	49x97 49x121 61x97 61x121		
3 mm	✓		
1/4	✓ ✓ ✓		
3/8	✓		
1/2	✓ ✓ ✓		
5/8	✓ ✓ ✓		
11/16	✓ ✓		
3/4	✓ ✓ ✓ ✓		
7/8	✓		
1"	✓ ✓ ✓		
1 1/8"	✓ ✓		
1 1/4"	✓ ✓		
1 1/2"	✓		

GREEN MOISTURE RESISTANT FIBERBOARD

Thickness	Size	Type/Core	Grade
1/2	48x96		
3/4	48x96		
1"	48x96		

MEDEX (Moisture Resistant)

NAUF, FSC

Thickness	Size	Type/Core	Grade
	31x121 49x97 49x121 61x97		
1/4		✓	
3/8		✓	
1/2		✓ ✓	
5/8		✓ ✓	
11/16		✓ ✓	
3/4	✓ ✓	✓ ✓	
7/8		✓	
1"		✓	
1 1/4"		✓	

MEDITE FR

Fire Rated MDF (NAUF, FSC)

Thickness	Size	Type/Core	Grade
	48x96 48x120 60x96 60x120		
1/4	✓ ✓		
1/2	✓ ✓		
5/8	✓		
11/16	✓ ✓		
3/4	✓ ✓ ✓ ✓		
1"	✓ ✓		

*Green indicates FSC products.

SUBSTRATES

RANGERBOARD

(Double Refined Premium MDF)

Thickness	Size	Type/Core	Grade
	49x97 49x121 61x97		
1/4	✓		
3/8	✓		
1/2	✓	✓	
5/8	✓		✓
11/16	✓	✓	
3/4	✓	✓	✓
1"	✓		✓
1 1/4"	✓		✓

ULTRALIGHT MDF

Thickness	Size	Type/Core	Grade
	49x97 49x121 61x97		
9 mm	✓		
12 mm	✓	✓	✓
15 mm	✓		
18 mm	✓	✓	✓
25 mm	✓	✓	✓
30 mm	✓		
38 mm	✓		
45 mm	✓		
50 mm	✓		

MISC. MDF

Thickness	Size	Type/Core	Grade
3/4	48x96	Solid Black MDF	
3/4	48x96	Pre-Primed MDF	

FLAKEBOARD

PARTICLEBOARD

Flake

Thickness	Size	Type/Core	Grade
	49x97 49x121 61x97 61x121		
1/2	✓	✓	
5/8	✓		
11/16	✓	✓	
3/4	✓	✓	✓
1"	✓	✓	
1 1/8"	✓		✓
1 1/2"	✓		
1 11/16"	37x109	Doorcore FSC	

FIRE RETARDANT PARTICLEBOARD

NAF, FSC

Thickness	Size	Type/Core	Grade
	48x96 48x120 60x96		
1/2	✓	✓	
11/16	✓	✓	
3/4	✓	✓	
1"	✓		
1 1/8"	✓		

SUBSTRATES

FLAKEBOARD

NUGREEN FLAKE

NAF, FSC

Thickness	Size	Type/Core	Grade
	48x96 48x120 60x96		
1/2	✓	✓	
5/8	✓		
11/16	✓	✓	
3/4	✓	✓	✓
1"	✓		
1 1/8"	✓		

SPRUCE

LC MDF X-BAND

Thickness	Size	Type/Core	Grade
	49x98 48x120 120x48		
19 mm	✓	✓	(finger jointed)
25 mm	✓		(finger jointed)
30 mm	✓	✓	5-ply
38 mm	✓		5-ply
44 mm	✓	✓	5-ply

LC Poplar X-BAND

18 mm	✓		✓	FG (finger jointed)
25 mm	✓			FG (finger jointed)
30 mm	✓			5-ply
38 mm	✓			5-ply
44 mm	✓			5-ply

ADDITIONAL ITEMS

BASSWOOD VC

Thickness	Size	Type/Core	Grade
1/2	48x96	WPF	D-3
3/4	48x96	WPF	D-3

BEADBOARD

Pre-Primed

Thickness	Size	Type/Core	Grade
1/2	49x97	Bead is 2" on Center MDF	

CORK

Thickness	Size	Type/Core	Grade
1/4	48 x 109		

DRAWERSIDES

Pre-Finished Maple

Thickness	Size	Type/Core	Grade
1/2	4", 6", 8", 10", 12" x 96	Edged 1 Side & Grooved	

ADDITIONAL ITEMS

EDGEBANDING

ROBERTS PLYWOOD offers a full line of automatic and pre-glued wood edgbanding; as well as PVC and hot melt 2-ply tape for use with our PANOLAM & Uniboard brand melamine. We stock a wide variety.

LAUAN

Reveneering Platforms

Thickness	Size	Type/Core	Grade
	48x96 97x49 121x49		
3/16		✓	VC
7/16		✓	VC
11/16		✓	VC

Bending

Thickness	Size	Type/Core	Grade
	48x96 96x48 120x48		
3/8		✓	
3/8	✓		
3/8			✓

NEATFORM

Bending MDF (pre-kerfed)

Thickness	Size	Type/Core	Grade
	48x96 96x48 120x48		
6 mm	✓	✓	
9 mm	✓	✓	
18 mm w/ 3 ply poplar face		✓	
18 mm		✓	Fire Retardant

*Available in FSC & Non-FSC

Bendable

18 mm		✓	FR
-------	--	---	----

POPLAR

Italian Bending

Thickness	Size	Type/Core	Grade
	48x96 96x48 120x48		
1/8	✓	✓	

RESOBACKS

(Backer Sheets)

Thickness	Size	Type/Core	Grade
	50x100 62x100 50x122		
.020	✓	✓	✓

GLOSSARY

BURLS

Burls are responsible for the formation of a number of interesting natural designs. A burl is an abnormal, wartlike excrescence on the trunk, stump or branches of a tree. Because of this, many bizarre figures are derived from veneers cut from burls. Burl veneer has high decorative value for inlays and overlays and for matching into four, eight or more combinations. The Italians are the masters of cutting and matching burls.

COLORFIN FORM

A very strong multi-ply birch panel that is impregnated with phenolic resin, which gives it a smooth surface. Originally used for concrete work. Now being specified by architects and designers for furniture, built-ins and custom commercial applications.

COUNTERFRONT

The grain direction of the hardwood face veneer running in the short direction of the panel. Used in wainscoting.

CROTCH

Type of veneer figuring originating from the intersection of the limb or branch with the main trunk of the tree. Producing exceptional figure referred to as "feather."

EUROPEAN POPLAR LUMBERCORE

A short grain reveneering platform produced of solid poplar strips edge glued and face glued to a poplar veneer cross banding. Light in weight and stays straight. Excellent for doors.

GRADING

No two trees are exactly the same. For this reason the industry, through its association HPVA (Hardwood Plywood and Veneer Association), has developed a system of grades to describe the appearance and performance characteristics of hardwood plywood. Grading is a position in a scale of qualities. The price of a hardwood plywood panel is based, to a considerable degree, upon the quality and species of the face. The higher the quality and more costly the face veneer, the higher the price.

GLOSSARY

GRAIN

The direction, size, arrangement and appearance of the fibers in wood and/or veneer.

MARINE GRADE

Plywood panels manufactured with the same glue-line durability requirements as other exterior type panels but with more restrictive veneer quality requirements. The grade is particularly suitable for marine applications where bending is required, as in boat hulls. The face and the inner-piles have to be of the same species for the expansion and contraction rates will be equal, allowing for a uniform bond.

MDF

Medium Density Fiberboard (fiber). A panel or core product manufactured from wood fibers combined with a synthetic resin or other bonding system. MDF is manufactured by the application of heat and pressure by a process in which the fiber bond is substantially created by the added adhesive system.

MELAMINE

A resin impregnated decorative paper thermally fused to a substrate, usually particleboard.

Panolam brand melamine is highly resistant to stains, scratches, abrasions, chip out, steam and radiant heat. Panolam offers a wide variety of colors, patterns and wood grains at a fraction of the cost of high laminate. Panolam brand melamine is stocked in thickness from 1/4 to 1 1/8.

MULTI-PLY

A strong European birch panel consisting of select cross branded birch veneers bonded together under heat, pressure and a water proof, boil proof adhesive. Multi-ply birch gives the look of a decorative edge with layers of 1.4 mm crossbands giving a 24 mm piece seventeen plies.

NAF

No Added Formaldehyde

NBL

A 2-ply flexible veneer using a whole piece wood backer of similar grain and color. NBL eliminates bubbling, solvent seepage and core telegraphing. In stock in a wide variety of species.

GLOSSARY

PB VENEER

Paperback Veneer. A flexible veneer available in a wide variety of species, affixed to a craft paper by means of glue, heat and pressure.
10 mil: A .10 mm craftpaper back laminated to a hardwood face veneer under heat and pressure.
20 mil: A .20 mm craftpaper laminated to a hardwood face veneer under heat and pressure.

PRE FINISHED PLYWOOD

A clear topcoat produced through a flat line finishing process. This process uses a precision differential roller to apply four sealer coats and an ultraviolet cured topcoat consisting of an acrylate that is 100% solids.

SLAB

(Flitch Cut) A veneer quality log sawn through and through as lumber. Yielding greatest possible widths, color and grain consistency, and all natural beauty of the log, including bark and sap.

SLIPMATCHED

A sheet from a flitch is slid across the sheet beneath and, without turning, spliced at the joints.

SM#

Sequence matched and numbered face veneer panels. A method of arranging veneer faces such that each face is in order relative to its original position in the tree and therefore, contains features of grain and figures similar to adjacent faces. Three or more such related faces are required to constitute a sequence.

Book Match: Adjacent pieces of veneer from a flitch or log are opened like a book and spliced to make up the face with matching occurring at the spliced joints. The fibers of the wood, slanting in opposite directions in the adjacent sheets, create a characteristic light and dark effect when the surface is seen from an angle.

VC

Veneer core. A core type consisting of layers of veneer alternately cross laminated at 90 degrees.

WPF

Whole piece face. A rotary cut face veneer containing no joints and/or seams. No matching required